

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006**Session Type:** Rate**Suggested Citation****Software:** Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.5.2.**Data:** Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2006. Released May 2009. Alaska population data for rate calculations are from the SEER program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.**Data****Database:** ACR w/Borough, Race, & Hispanic Pops (1996-2006), May 2009**Statistic****Statistic:** Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)**P-Values:** .05**Options:** Display Confidence Intervals (Tiwari mod) and Standard Errors**Selection****Select Only:** Malignant Behavior, Known Age, Male or Female Sex**Table****Page:** Year of diagnosis**Row:** Site rec w/Kaposi and meso-no sex sites [Site rec with Kaposi and mesothelioma]**Output****Title:** Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006**Suppress:** Statistics based on fewer than 6 cases**Display Rates as:** Cases per 100,000**Precision:** 1 decimal place (default)

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

	Total			
	Rate	Lower CI	Upper CI	Count
All Sites	488.4	481.5	495.4	22,930
Oral Cavity and Pharynx	11.4	10.4	12.4	575
Lip	0.9	0.6	1.3	39
Tongue	2.7	2.2	3.2	140
Salivary Gland	1.2	0.9	1.6	55
Floor of Mouth	0.8	0.6	1.2	43
Gum and Other Mouth	1.3	1.0	1.8	62
Nasopharynx	1.6	1.2	2.0	81
Tonsil	1.4	1.1	1.8	86
Oropharynx	0.5	0.3	0.8	25
Hypopharynx	0.7	0.4	1.0	32
Other Oral Cavity and Pharynx	0.2	0.1	0.3	12
Digestive System	99.5	96.3	102.9	4,267
Esophagus	6.1	5.4	7.0	276
Stomach	8.5	7.6	9.5	369
Small Intestine	1.8	1.4	2.3	82
Colon and Rectum	56.3	53.9	58.9	2,368
Colon excluding Rectum	41.4	39.2	43.6	1,659
Cecum	9.7	8.7	10.8	369
Appendix	0.4	0.3	0.7	28
Ascending Colon	6.9	6.0	7.9	251
Hepatic Flexure	2.3	1.8	2.8	92
Transverse Colon	3.7	3.1	4.4	143
Splenic Flexure	1.2	0.9	1.7	50
Descending Colon	2.3	1.8	2.8	94
Sigmoid Colon	11.8	10.7	13.0	507
Large Intestine, NOS	3.0	2.4	3.6	125
Rectum and Rectosigmoid Junction	15.0	13.8	16.2	709
Rectosigmoid Junction	3.6	3.0	4.2	167
Rectum	11.4	10.3	12.5	542
Anus, Anal Canal and Anorectum	1.9	1.5	2.4	97
Liver and Intrahepatic Bile Duct	7.2	6.4	8.1	349
Liver	6.5	5.7	7.3	313
Intrahepatic Bile Duct	0.7	0.5	1.0	36
Gallbladder	1.6	1.2	2.1	56
Other Biliary	1.8	1.4	2.3	75
Pancreas	11.8	10.7	13.0	491

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

	Total			
	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.2	0.1	0.4	15
Peritoneum, Omentum and Mesentery	0.5	0.3	0.7	20
Other Digestive Organs	1.7	1.3	2.2	69
Respiratory System	80.8	77.9	83.8	3,401
Nose, Nasal Cavity and Middle Ear	0.8	0.5	1.1	37
Larynx	3.7	3.1	4.3	177
Lung and Bronchus	76.0	73.2	78.9	3,171
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.3	0.2	0.5	15
Bones and Joints	1.0	0.8	1.3	72
Soft Tissue including Heart	3.0	2.5	3.5	175
Skin excluding Basal and Squamous	12.5	11.5	13.6	710
Melanoma of the Skin	11.1	10.1	12.1	639
Other Non-Epithelial Skin	1.4	1.1	1.9	71
Urinary System	39.3	37.2	41.3	1,700
Urinary Bladder	23.8	22.2	25.5	956
Kidney and Renal Pelvis	14.5	13.4	15.7	709
Ureter	0.7	0.4	1.0	26
Other Urinary Organs	0.3	0.1	0.5	9
Eye and Orbit	0.6	0.4	0.9	36
Brain and Other Nervous System	6.2	5.5	7.0	359
Brain	6.0	5.3	6.7	343
Cranial Nerves Other Nervous System	0.2	0.1	0.4	16
Endocrine System	9.7	8.9	10.5	637
Thyroid	9.1	8.3	9.9	602
Other Endocrine including Thymus	0.6	0.4	0.9	35
Lymphoma	22.8	21.3	24.3	1,157
Hodgkin Lymphoma	2.5	2.1	2.9	166
Hodgkin - Nodal	2.5	2.1	2.9	165
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	20.3	18.9	21.7	991
NHL - Nodal	13.9	12.8	15.1	692
NHL - Extranodal	6.3	5.6	7.2	299
Myeloma	5.4	4.7	6.1	241
Leukemia	13.4	12.2	14.6	636
Lymphocytic Leukemia	6.8	6.0	7.7	326
Acute Lymphocytic Leukemia	1.4	1.1	1.7	101

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

	Total			
	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.9	4.1	5.6	198
Other Lymphocytic Leukemia	0.5	0.3	0.8	27
Myeloid and Monocytic Leukemia	5.7	5.0	6.5	272
Acute Myeloid Leukemia	3.4	2.8	4.0	155
Acute Monocytic Leukemia	0.3	0.2	0.5	17
Chronic Myeloid Leukemia	1.9	1.5	2.4	92
Other Myeloid/Monocytic Leukemia	0.1	0.1	0.3	8
Other Leukemia	0.8	0.6	1.2	38
Other Acute Leukemia	0.3	0.1	0.5	12
Aleukemic, Subleukemic and NOS	0.6	0.3	0.9	26
Mesothelioma	1.9	1.4	2.4	66
Kaposi Sarcoma	0.2	0.1	0.4	16
Miscellaneous	11.5	10.4	12.7	475

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1996

	Rate	Lower CI	Upper CI	Count
All Sites	480.8	454.8	507.7	1,668
Oral Cavity and Pharynx	14.3	10.2	19.3	50
Lip	^	^	^	^
Tongue	2.7	1.3	5.0	11
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	3.5	1.4	6.8	9
Nasopharynx	^	^	^	^
Tonsil	2.2	0.8	4.5	9
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1.1	0
Digestive System	92.5	80.5	105.5	281
Esophagus	4.9	2.4	8.6	14
Stomach	8.9	5.7	13.2	29
Small Intestine	1.8	0.5	4.3	6
Colon and Rectum	55.6	46.5	65.7	170
Colon excluding Rectum	40.3	32.4	49.3	117
Cecum	6.2	3.3	10.3	18
Appendix	0.0	0.0	1.1	0
Ascending Colon	5.5	2.8	9.4	14
Hepatic Flexure	^	^	^	^
Transverse Colon	4.9	2.3	8.7	12
Splenic Flexure	^	^	^	^
Descending Colon	3.8	1.6	7.3	9
Sigmoid Colon	13.2	9.0	18.3	42
Large Intestine, NOS	4.8	2.4	8.3	15
Rectum and Rectosigmoid Junction	15.3	11.0	20.6	53
Rectosigmoid Junction	4.4	2.1	7.9	13
Rectum	10.9	7.5	15.2	40
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	3.8	10.6	19
Liver	5.4	2.9	9.0	15
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	12.1	7.9	17.4	35

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1996

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	86.8	75.9	98.8	278
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	6.5	3.9	10.1	22
Lung and Bronchus	79.5	69.0	91.0	253
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.1	0.4	2.6	6
Soft Tissue including Heart	3.3	1.8	5.6	17
Skin excluding Basal and Squamous	11.3	8.0	15.6	49
Melanoma of the Skin	11.2	7.9	15.4	48
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.0	28.1	42.9	110
Urinary Bladder	19.8	14.6	26.0	61
Kidney and Renal Pelvis	13.0	9.1	18.0	43
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.9	3.1	7.5	26
Brain	4.9	3.1	7.5	26
Cranial Nerves Other Nervous System	0.0	0.0	1.1	0
Endocrine System	9.9	6.9	13.8	47
Thyroid	9.6	6.6	13.5	45
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.8	16.9	27.6	92
Hodgkin Lymphoma	4.4	2.8	6.7	27
Hodgkin - Nodal	4.2	2.7	6.5	26
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	17.4	12.9	22.9	65
NHL - Nodal	12.2	8.6	16.7	48
NHL - Extranodal	5.2	2.7	8.9	17
Myeloma	5.5	3.1	8.9	18
Leukemia	18.2	13.2	24.3	58
Lymphocytic Leukemia	8.2	5.1	12.4	28
Acute Lymphocytic Leukemia	1.0	0.4	2.4	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1996

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.3	3.4	10.3	17
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	8.5	5.1	12.9	25
Acute Myeloid Leukemia	3.5	1.6	6.4	12
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	4.3	2.0	7.9	11
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	3.5	1.6	6.5	10
Kaposi Sarcoma	^	^	^	^
Miscellaneous	8.7	5.2	13.3	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1997

	Rate	Lower CI	Upper CI	Count
All Sites	505.2	479.2	532.0	1,816
Oral Cavity and Pharynx	12.5	8.8	17.0	49
Lip	^	^	^	^
Tongue	2.5	1.1	5.0	10
Salivary Gland	2.4	0.9	4.9	7
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.9	0.7	4.0	7
Tonsil	1.0	0.4	2.4	6
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	96.8	85.3	109.3	324
Esophagus	6.6	3.9	10.2	22
Stomach	9.0	5.8	13.3	31
Small Intestine	^	^	^	^
Colon and Rectum	53.1	44.7	62.5	177
Colon excluding Rectum	38.1	30.8	46.4	121
Cecum	9.0	5.5	13.6	26
Appendix	1.1	0.4	2.7	6
Ascending Colon	6.8	3.9	10.9	19
Hepatic Flexure	^	^	^	^
Transverse Colon	4.5	2.2	7.9	14
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	11.2	7.4	16.1	34
Large Intestine, NOS	2.0	0.7	4.1	7
Rectum and Rectosigmoid Junction	15.0	11.0	19.8	56
Rectosigmoid Junction	3.8	2.0	6.5	14
Rectum	11.2	7.8	15.4	42
Anus, Anal Canal and Anorectum	3.0	1.4	5.5	12
Liver and Intrahepatic Bile Duct	6.6	3.9	10.2	24
Liver	4.7	2.6	7.7	19
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	12.2	8.3	17.1	37

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1997

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	84.7	74.1	96.2	280
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	5.1	2.8	8.3	18
Lung and Bronchus	78.3	68.2	89.4	257
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.1	0
Bones and Joints	1.0	0.4	2.4	7
Soft Tissue including Heart	3.0	1.3	5.6	12
Skin excluding Basal and Squamous	13.0	9.7	17.2	65
Melanoma of the Skin	12.5	9.2	16.6	62
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.3	39.2	56.4	151
Urinary Bladder	30.5	23.8	38.2	89
Kidney and Renal Pelvis	15.7	11.6	20.8	59
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.5	3.5	8.4	28
Brain	5.5	3.5	8.4	28
Cranial Nerves Other Nervous System	0.0	0.0	1.1	0
Endocrine System	7.7	5.3	10.9	43
Thyroid	7.3	4.9	10.4	40
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.8	20.3	32.2	104
Hodgkin Lymphoma	2.5	1.3	4.5	14
Hodgkin - Nodal	2.5	1.3	4.5	14
Hodgkin - Extranodal	0.0	0.0	1.1	0
Non-Hodgkin Lymphoma	23.2	18.0	29.5	90
NHL - Nodal	16.1	11.7	21.4	62
NHL - Extranodal	7.2	4.5	10.8	28
Myeloma	2.7	1.2	5.2	11
Leukemia	13.5	9.5	18.5	52
Lymphocytic Leukemia	7.0	4.2	10.9	26
Acute Lymphocytic Leukemia	1.6	0.8	3.2	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1997

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.9	2.4	8.5	14
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.5	2.4	7.5	19
Acute Myeloid Leukemia	3.1	1.4	5.9	11
Acute Monocytic Leukemia	0.0	0.0	1.1	0
Chronic Myeloid Leukemia	1.4	0.6	2.9	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	2.0	0.7	4.3	7
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.5	4.5	11.6	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1998

	Rate	Lower CI	Upper CI	Count
All Sites	510.4	485.2	536.4	1,911
Oral Cavity and Pharynx	11.9	8.6	16.0	52
Lip	^	^	^	^
Tongue	3.9	2.0	6.7	15
Salivary Gland	^	^	^	^
Floor of Mouth	1.3	0.4	3.1	6
Gum and Other Mouth	1.5	0.5	3.4	6
Nasopharynx	2.0	0.7	4.3	7
Tonsil	1.0	0.3	2.3	6
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	106.7	94.8	119.6	356
Esophagus	4.7	2.7	7.5	18
Stomach	11.6	7.8	16.3	37
Small Intestine	^	^	^	^
Colon and Rectum	62.1	52.8	72.3	197
Colon excluding Rectum	45.3	37.2	54.4	134
Cecum	11.7	7.7	16.9	33
Appendix	^	^	^	^
Ascending Colon	7.6	4.4	12.0	19
Hepatic Flexure	4.3	2.0	7.8	11
Transverse Colon	3.7	1.8	6.6	12
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.2	9.1	18.2	41
Large Intestine, NOS	2.5	1.1	4.7	10
Rectum and Rectosigmoid Junction	16.8	12.5	21.9	63
Rectosigmoid Junction	4.3	2.3	7.2	15
Rectum	12.5	8.8	17.0	48
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.1	4.4	10.6	28
Liver	6.8	4.2	10.3	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.0	0.8	4.0	7
Other Biliary	1.9	0.7	4.0	7
Pancreas	13.4	9.6	18.2	48

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1998

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	87.3	77.0	98.5	299
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.4	1.8	6.0	14
Lung and Bronchus	82.9	72.8	93.9	281
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.4	1.9	5.7	18
Skin excluding Basal and Squamous	11.0	8.1	14.7	55
Melanoma of the Skin	8.7	6.2	11.9	45
Other Non-Epithelial Skin	2.3	1.1	4.4	10
Urinary System	35.5	28.9	43.0	124
Urinary Bladder	23.4	17.8	29.9	71
Kidney and Renal Pelvis	11.4	8.2	15.4	51
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	5.0	10.2	39
Brain	7.2	5.0	10.2	39
Cranial Nerves Other Nervous System	0.0	0.0	1.0	0
Endocrine System	8.6	6.2	11.6	49
Thyroid	8.4	6.1	11.4	48
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.2	19.1	30.2	98
Hodgkin Lymphoma	1.9	0.7	4.0	7
Hodgkin - Nodal	1.9	0.7	4.0	7
Hodgkin - Extranodal	0.0	0.0	1.0	0
Non-Hodgkin Lymphoma	22.3	17.4	28.1	91
NHL - Nodal	13.1	9.5	17.5	55
NHL - Extranodal	9.3	6.1	13.4	36
Myeloma	7.2	4.6	10.6	27
Leukemia	14.6	10.4	19.8	52
Lymphocytic Leukemia	7.3	4.5	11.1	27
Acute Lymphocytic Leukemia	2.2	0.9	4.4	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1998

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.6	2.3	7.9	13
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.5	3.7	10.2	22
Acute Myeloid Leukemia	4.2	2.0	7.4	13
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.5	4.2	6
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.5	1.0	5.1	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	7.0	4.3	10.5	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1999

	Rate	Lower CI	Upper CI	Count
All Sites	502.4	478.0	527.7	1,953
Oral Cavity and Pharynx	13.3	9.7	17.8	55
Lip	^	^	^	^
Tongue	4.6	2.5	7.6	18
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	2.2	1.0	4.2	11
Tonsil	1.4	0.5	3.0	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	104.2	92.6	116.6	360
Esophagus	4.9	2.9	7.7	20
Stomach	9.7	6.5	13.8	36
Small Intestine	1.6	0.5	3.6	6
Colon and Rectum	61.5	52.6	71.3	208
Colon excluding Rectum	47.6	39.8	56.3	156
Cecum	10.2	6.7	14.6	33
Appendix	0.0	0.0	1.0	0
Ascending Colon	8.3	5.2	12.3	25
Hepatic Flexure	3.6	1.8	6.5	12
Transverse Colon	4.7	2.6	7.8	17
Splenic Flexure	2.9	1.1	5.7	9
Descending Colon	2.0	0.7	4.3	7
Sigmoid Colon	13.4	9.5	18.2	46
Large Intestine, NOS	2.4	0.9	5.1	7
Rectum and Rectosigmoid Junction	13.9	10.0	18.7	52
Rectosigmoid Junction	3.0	1.6	5.2	13
Rectum	10.9	7.4	15.4	39
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	4.2	10.0	27
Liver	6.3	3.9	9.5	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	3.6	1.5	6.9	8
Other Biliary	^	^	^	^
Pancreas	13.6	9.5	18.6	44

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1999

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	83.9	73.9	94.8	296
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.3	2.4	7.0	17
Lung and Bronchus	78.5	68.8	89.1	273
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.9	0.3	2.1	6
Soft Tissue including Heart	2.0	0.8	4.1	9
Skin excluding Basal and Squamous	13.3	9.7	17.7	60
Melanoma of the Skin	10.7	7.6	14.7	50
Other Non-Epithelial Skin	2.5	1.0	5.0	10
Urinary System	38.7	31.9	46.4	139
Urinary Bladder	22.4	17.1	28.7	71
Kidney and Renal Pelvis	15.7	11.8	20.5	66
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.5	5.1	10.8	35
Brain	7.4	4.9	10.6	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	8.9	6.5	11.9	53
Thyroid	8.7	6.4	11.7	52
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.5	17.1	26.6	103
Hodgkin Lymphoma	1.9	1.0	3.5	13
Hodgkin - Nodal	1.9	1.0	3.5	13
Hodgkin - Extranodal	0.0	0.0	1.0	0
Non-Hodgkin Lymphoma	19.6	15.3	24.6	90
NHL - Nodal	14.7	11.1	19.0	69
NHL - Extranodal	4.9	2.8	7.9	21
Myeloma	6.0	3.5	9.4	20
Leukemia	14.5	10.4	19.6	56
Lymphocytic Leukemia	7.8	4.9	11.6	29
Acute Lymphocytic Leukemia	1.2	0.3	3.0	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

1999

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.6	4.0	10.2	23
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	4.8	2.6	7.8	21
Acute Myeloid Leukemia	2.9	1.3	5.5	13
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	1.7	0.5	3.8	7
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	2.0	0.6	4.4	6
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.7	1.1	5.4	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	9.3	5.9	13.6	28

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2000

	Rate	Lower CI	Upper CI	Count
All Sites	511.0	486.9	536.0	2,036
Oral Cavity and Pharynx	12.1	8.6	16.5	47
Lip	^	^	^	^
Tongue	3.8	2.0	6.5	17
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.4	0.4	3.2	6
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.9	0
Digestive System	109.0	97.6	121.3	393
Esophagus	7.3	4.7	10.7	29
Stomach	10.8	7.4	15.0	38
Small Intestine	1.7	0.5	3.8	6
Colon and Rectum	65.9	56.9	75.7	230
Colon excluding Rectum	46.2	38.6	54.7	153
Cecum	12.1	8.4	16.8	38
Appendix	^	^	^	^
Ascending Colon	7.5	4.6	11.5	23
Hepatic Flexure	^	^	^	^
Transverse Colon	3.9	1.9	6.9	11
Splenic Flexure	^	^	^	^
Descending Colon	3.2	1.5	5.8	11
Sigmoid Colon	15.0	10.8	20.0	51
Large Intestine, NOS	1.3	0.5	2.7	8
Rectum and Rectosigmoid Junction	19.7	15.2	25.1	77
Rectosigmoid Junction	3.7	2.0	6.2	15
Rectum	16.0	11.9	21.0	62
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.4	4.9	10.7	31
Liver	6.4	4.1	9.6	27
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.0	0.8	4.1	7
Pancreas	10.5	7.3	14.5	41

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2000

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	76.5	67.0	86.8	276
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.9	1.4	5.2	12
Lung and Bronchus	71.9	62.8	81.9	259
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.4	0.6	2.9	8
Soft Tissue including Heart	2.8	1.4	4.9	15
Skin excluding Basal and Squamous	11.2	8.1	15.1	56
Melanoma of the Skin	10.6	7.6	14.3	54
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.2	29.6	43.7	127
Urinary Bladder	23.9	18.4	30.4	78
Kidney and Renal Pelvis	12.3	8.8	16.6	49
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	3.9	8.6	31
Brain	5.6	3.7	8.2	30
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	7.9	5.7	10.7	47
Thyroid	7.6	5.4	10.3	45
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.0	18.2	28.6	100
Hodgkin Lymphoma	2.5	1.2	4.6	13
Hodgkin - Nodal	2.5	1.2	4.6	13
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	20.5	15.9	25.8	87
NHL - Nodal	12.8	9.3	17.1	55
NHL - Extranodal	7.6	4.9	11.2	32
Myeloma	6.1	3.8	9.4	23
Leukemia	16.4	12.3	21.3	67
Lymphocytic Leukemia	6.6	4.3	9.6	30
Acute Lymphocytic Leukemia	1.2	0.5	2.5	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2000

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	4.6	2.7	7.4	19
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	9.5	6.3	13.7	35
Acute Myeloid Leukemia	7.0	4.2	10.7	25
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.1	0.8	4.4	7
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	0.9	0
Miscellaneous	13.7	9.7	18.7	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2001

	Rate	Lower CI	Upper CI	Count
All Sites	513.5	490.2	537.7	2,174
Oral Cavity and Pharynx	10.9	7.9	14.5	52
Lip	^	^	^	^
Tongue	2.8	1.4	5.0	12
Salivary Gland	1.0	0.4	2.4	6
Floor of Mouth	1.4	0.6	3.0	7
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.2	0.4	2.8	6
Tonsil	2.0	1.0	3.7	11
Oropharynx	0.0	0.0	0.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	108.3	97.2	120.2	414
Esophagus	8.0	5.1	11.8	28
Stomach	9.0	6.0	12.9	33
Small Intestine	1.3	0.5	3.0	6
Colon and Rectum	63.2	54.8	72.5	236
Colon excluding Rectum	44.5	37.4	52.4	159
Cecum	10.2	7.1	14.1	39
Appendix	^	^	^	^
Ascending Colon	8.2	5.1	12.4	23
Hepatic Flexure	2.4	1.1	4.5	10
Transverse Colon	3.7	1.9	6.3	13
Splenic Flexure	1.4	0.5	3.2	6
Descending Colon	3.0	1.3	5.7	9
Sigmoid Colon	12.6	9.1	16.9	48
Large Intestine, NOS	2.7	1.1	5.2	9
Rectum and Rectosigmoid Junction	18.7	14.4	23.8	77
Rectosigmoid Junction	3.4	1.7	5.9	13
Rectum	15.3	11.5	20.0	64
Anus, Anal Canal and Anorectum	2.0	0.8	3.9	9
Liver and Intrahepatic Bile Duct	9.5	6.6	13.3	42
Liver	8.0	5.2	11.5	34
Intrahepatic Bile Duct	1.6	0.6	3.2	8
Gallbladder	1.3	0.4	3.0	6
Other Biliary	2.3	0.9	4.6	7
Pancreas	10.3	7.2	14.1	41

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2001

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	79.0	69.7	89.1	304
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.6	2.0	6.0	16
Lung and Bronchus	74.2	65.2	84.1	282
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.7	0.9	3.1	12
Soft Tissue including Heart	2.0	0.9	3.9	11
Skin excluding Basal and Squamous	15.0	11.5	19.3	74
Melanoma of the Skin	14.4	10.9	18.6	70
Other Non-Epithelial Skin	^	^	^	^
Urinary System	41.1	34.5	48.4	160
Urinary Bladder	25.5	20.4	31.4	98
Kidney and Renal Pelvis	14.2	10.5	18.7	58
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.0	4.6	10.1	34
Brain	6.6	4.3	9.6	32
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.1	7.6	13.3	60
Thyroid	7.8	5.7	10.5	49
Other Endocrine including Thymus	2.3	1.1	4.4	11
Lymphoma	22.3	17.8	27.6	101
Hodgkin Lymphoma	1.8	0.9	3.4	11
Hodgkin - Nodal	1.8	0.9	3.4	11
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	20.5	16.2	25.6	90
NHL - Nodal	14.2	10.7	18.5	65
NHL - Extranodal	6.3	3.9	9.5	25
Myeloma	4.7	2.6	7.6	17
Leukemia	11.6	8.3	15.6	51
Lymphocytic Leukemia	4.8	2.8	7.5	22
Acute Lymphocytic Leukemia	1.1	0.5	2.4	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2001

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	3.4	1.7	6.0	13
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.7	3.5	8.7	25
Acute Myeloid Leukemia	2.6	1.3	4.6	13
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.4	0.9	4.7	9
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	16.5	12.3	21.6	61

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2002

	Rate	Lower CI	Upper CI	Count
All Sites	499.3	476.8	522.4	2,227
Oral Cavity and Pharynx	9.9	7.2	13.3	50
Lip	^	^	^	^
Tongue	2.0	0.8	3.8	9
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.3	0.5	2.8	7
Nasopharynx	2.3	1.1	4.3	11
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	98.6	88.3	109.7	394
Esophagus	6.3	3.8	9.5	23
Stomach	10.4	7.1	14.5	38
Small Intestine	1.9	0.7	3.8	8
Colon and Rectum	55.3	47.6	63.8	216
Colon excluding Rectum	37.6	31.2	44.8	142
Cecum	8.5	5.4	12.5	26
Appendix	^	^	^	^
Ascending Colon	5.1	3.1	7.9	21
Hepatic Flexure	4.3	2.3	7.3	14
Transverse Colon	3.4	1.8	5.8	14
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	11.0	7.8	14.9	46
Large Intestine, NOS	3.0	1.5	5.2	12
Rectum and Rectosigmoid Junction	17.7	13.6	22.6	74
Rectosigmoid Junction	4.0	2.3	6.4	19
Rectum	13.7	10.1	18.2	55
Anus, Anal Canal and Anorectum	2.2	1.1	4.0	12
Liver and Intrahepatic Bile Duct	6.2	4.0	9.2	29
Liver	6.1	3.8	9.1	28
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	1.9	0.8	3.9	9
Pancreas	11.7	8.4	15.8	49

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2002

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.8	0
Other Digestive Organs	2.3	0.9	4.7	8
Respiratory System	76.1	67.3	85.8	308
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.7	1.4	4.8	13
Lung and Bronchus	72.1	63.4	81.5	289
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.2	0.4	2.8	7
Soft Tissue including Heart	2.8	1.5	4.8	15
Skin excluding Basal and Squamous	14.3	11.0	18.3	77
Melanoma of the Skin	12.7	9.6	16.5	70
Other Non-Epithelial Skin	1.6	0.6	3.3	7
Urinary System	41.9	35.3	49.2	171
Urinary Bladder	24.3	19.2	30.1	90
Kidney and Renal Pelvis	16.4	12.6	20.9	77
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	6.0	4.1	8.6	35
Brain	5.9	4.0	8.4	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	8.8	6.4	11.7	54
Thyroid	7.9	5.8	10.7	50
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.8	20.1	30.3	116
Hodgkin Lymphoma	2.4	1.4	4.0	17
Hodgkin - Nodal	2.4	1.4	4.0	17
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	22.4	17.8	27.8	99
NHL - Nodal	15.9	12.1	20.5	69
NHL - Extranodal	6.5	4.2	9.6	30
Myeloma	4.6	2.8	7.1	23
Leukemia	11.8	8.7	15.6	57
Lymphocytic Leukemia	7.1	4.6	10.3	31
Acute Lymphocytic Leukemia	1.7	0.8	3.1	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2002

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.0	2.8	8.1	18
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.6	2.8	7.0	25
Acute Myeloid Leukemia	2.4	1.3	4.2	14
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.6	0.7	3.2	9
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.0	8.7	16.1	53

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2003

	Rate	Lower CI	Upper CI	Count
All Sites	475.4	453.8	497.6	2,182
Oral Cavity and Pharynx	11.0	7.9	14.7	52
Lip	^	^	^	^
Tongue	2.6	1.3	4.6	12
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.2	0.3	2.8	6
Nasopharynx	2.4	1.1	4.4	10
Tonsil	1.0	0.4	2.1	7
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	93.1	83.4	103.5	402
Esophagus	5.2	3.3	7.6	28
Stomach	7.2	4.7	10.6	30
Small Intestine	1.5	0.5	3.4	6
Colon and Rectum	51.9	44.7	59.8	219
Colon excluding Rectum	37.4	31.2	44.5	145
Cecum	7.4	4.7	10.9	26
Appendix	^	^	^	^
Ascending Colon	5.7	3.5	8.6	22
Hepatic Flexure	1.9	0.7	3.9	8
Transverse Colon	2.9	1.4	5.2	11
Splenic Flexure	^	^	^	^
Descending Colon	3.0	1.5	5.3	11
Sigmoid Colon	12.1	8.7	16.1	51
Large Intestine, NOS	3.2	1.5	5.7	11
Rectum and Rectosigmoid Junction	14.5	11.1	18.5	74
Rectosigmoid Junction	4.7	2.8	7.3	21
Rectum	9.8	7.1	13.0	53
Anus, Anal Canal and Anorectum	2.9	1.5	5.0	14
Liver and Intrahepatic Bile Duct	6.1	4.0	8.8	33
Liver	5.9	3.9	8.7	32
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.2	0.9	4.3	9
Other Biliary	2.2	0.8	4.4	7
Pancreas	11.1	7.9	15.2	46

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2003

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.1	0.8	4.2	8
Respiratory System	80.2	71.1	90.2	319
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.0	2.3	6.4	18
Lung and Bronchus	75.7	66.8	85.4	297
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.1	1.7	5.2	17
Skin excluding Basal and Squamous	15.0	11.7	19.0	84
Melanoma of the Skin	12.8	9.8	16.4	74
Other Non-Epithelial Skin	2.3	1.0	4.3	10
Urinary System	39.0	32.8	45.8	168
Urinary Bladder	24.1	19.2	29.8	94
Kidney and Renal Pelvis	14.3	10.9	18.4	72
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.9	3.8	8.6	31
Brain	5.4	3.5	8.1	28
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.2	7.7	13.2	63
Thyroid	9.1	6.8	12.0	59
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.9	16.7	25.9	101
Hodgkin Lymphoma	3.0	1.8	4.9	19
Hodgkin - Nodal	3.0	1.8	4.9	19
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	17.9	13.9	22.6	82
NHL - Nodal	12.4	9.1	16.3	59
NHL - Extranodal	5.5	3.3	8.5	23
Myeloma	4.8	2.9	7.5	22
Leukemia	8.7	6.1	11.9	44
Lymphocytic Leukemia	3.9	2.3	6.2	21
Acute Lymphocytic Leukemia	1.3	0.6	2.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2003

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	2.2	1.0	4.2	9
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.3	2.5	6.9	20
Acute Myeloid Leukemia	2.4	1.1	4.5	11
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	1.8	0.7	3.6	8
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	2.0	0.7	4.3	6
Kaposi Sarcoma	^	^	^	^
Miscellaneous	13.8	10.1	18.3	55

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2004

	Rate	Lower CI	Upper CI	Count
All Sites	485.8	464.5	507.7	2,321
Oral Cavity and Pharynx	10.6	7.8	14.1	55
Lip	^	^	^	^
Tongue	1.9	1.0	3.5	13
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	2.0	0.8	4.0	9
Nasopharynx	1.0	0.4	2.2	7
Tonsil	1.4	0.6	2.9	9
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	102.8	92.8	113.4	456
Esophagus	6.0	3.9	8.9	27
Stomach	7.0	4.6	10.1	32
Small Intestine	2.3	1.0	4.3	10
Colon and Rectum	54.1	47.0	61.9	243
Colon excluding Rectum	41.7	35.3	48.7	180
Cecum	10.0	6.9	13.8	40
Appendix	^	^	^	^
Ascending Colon	5.0	3.0	7.7	21
Hepatic Flexure	1.6	0.6	3.4	8
Transverse Colon	3.9	2.0	6.6	13
Splenic Flexure	1.5	0.5	3.3	6
Descending Colon	2.5	1.2	4.5	11
Sigmoid Colon	12.6	9.4	16.6	60
Large Intestine, NOS	4.1	2.3	6.5	18
Rectum and Rectosigmoid Junction	12.4	9.3	16.2	63
Rectosigmoid Junction	2.7	1.4	4.8	14
Rectum	9.7	7.0	13.1	49
Anus, Anal Canal and Anorectum	2.6	1.3	4.7	13
Liver and Intrahepatic Bile Duct	10.4	7.4	14.1	48
Liver	9.4	6.6	13.0	44
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.1	0.8	4.3	8
Pancreas	12.6	9.2	16.8	51

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2004

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	3.2	1.6	5.5	12
Respiratory System	79.6	70.7	89.2	333
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	2.7	1.4	4.7	14
Lung and Bronchus	75.9	67.2	85.3	316
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.3	1.9	5.2	20
Skin excluding Basal and Squamous	13.3	10.2	17.1	72
Melanoma of the Skin	11.3	8.4	14.8	61
Other Non-Epithelial Skin	2.0	0.9	3.8	11
Urinary System	42.2	36.0	49.1	189
Urinary Bladder	23.9	19.2	29.2	105
Kidney and Renal Pelvis	16.5	12.8	20.9	77
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	1.2	0.4	2.7	6
Brain and Other Nervous System	7.0	4.8	9.8	38
Brain	6.4	4.2	9.1	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.4	9.0	14.3	79
Thyroid	11.1	8.7	14.0	77
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.4	16.2	25.2	99
Hodgkin Lymphoma	2.3	1.3	3.9	15
Hodgkin - Nodal	2.3	1.3	3.9	15
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	18.0	14.1	22.7	84
NHL - Nodal	12.9	9.6	16.9	60
NHL - Extranodal	5.1	3.2	7.8	24
Myeloma	7.7	5.2	10.9	35
Leukemia	11.2	8.1	15.0	52
Lymphocytic Leukemia	7.3	4.8	10.5	33
Acute Lymphocytic Leukemia	1.3	0.5	2.6	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2004

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.1	3.0	8.0	21
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.7	2.1	6.0	18
Acute Myeloid Leukemia	1.5	0.5	3.2	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.7	3.6	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.8	0.7	3.9	7
Kaposi Sarcoma	^	^	^	^
Miscellaneous	11.8	8.6	15.8	53

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2005

	Rate	Lower CI	Upper CI	Count
All Sites	464.2	443.8	485.2	2,293
Oral Cavity and Pharynx	9.6	7.1	12.8	54
Lip	^	^	^	^
Tongue	2.0	1.0	3.6	11
Salivary Gland	^	^	^	^
Floor of Mouth	1.1	0.4	2.4	7
Gum and Other Mouth	1.3	0.5	2.9	6
Nasopharynx	1.1	0.3	2.4	6
Tonsil	0.8	0.3	1.8	6
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.7	0
Digestive System	96.5	86.9	106.7	434
Esophagus	6.1	4.0	8.8	31
Stomach	7.0	4.8	9.9	37
Small Intestine	3.0	1.5	5.1	13
Colon and Rectum	54.1	46.9	62.0	236
Colon excluding Rectum	41.8	35.5	48.9	178
Cecum	10.9	7.7	14.9	44
Appendix	^	^	^	^
Ascending Colon	9.5	6.5	13.2	36
Hepatic Flexure	1.7	0.7	3.6	7
Transverse Colon	4.3	2.4	7.0	16
Splenic Flexure	^	^	^	^
Descending Colon	2.0	1.0	3.8	11
Sigmoid Colon	8.3	5.8	11.6	40
Large Intestine, NOS	3.5	1.9	5.8	16
Rectum and Rectosigmoid Junction	12.3	9.1	16.1	58
Rectosigmoid Junction	3.4	1.8	5.6	16
Rectum	8.9	6.2	12.3	42
Anus, Anal Canal and Anorectum	1.8	0.7	3.6	8
Liver and Intrahepatic Bile Duct	5.6	3.6	8.4	28
Liver	5.2	3.3	7.9	26
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	2.2	0.9	4.2	9
Pancreas	11.5	8.2	15.4	47

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2005

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	3.6	2.1	5.8	18
Respiratory System	80.9	72.1	90.4	348
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.4	1.2	4.2	13
Lung and Bronchus	77.8	69.1	87.2	331
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	1.2	0.5	2.5	8
Soft Tissue including Heart	3.7	2.1	5.9	20
Skin excluding Basal and Squamous	9.6	7.1	12.7	57
Melanoma of the Skin	7.5	5.4	10.2	47
Other Non-Epithelial Skin	2.1	0.9	3.9	10
Urinary System	40.0	34.1	46.6	189
Urinary Bladder	23.1	18.6	28.3	102
Kidney and Renal Pelvis	16.0	12.5	20.2	83
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	6.7	4.6	9.6	37
Brain	6.5	4.3	9.3	35
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.5	8.8	14.8	70
Thyroid	11.3	8.6	14.5	68
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.2	19.7	29.3	123
Hodgkin Lymphoma	2.3	1.2	4.0	14
Hodgkin - Nodal	2.3	1.2	4.0	14
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	21.9	17.6	26.8	109
NHL - Nodal	16.0	12.3	20.2	79
NHL - Extranodal	5.9	3.8	8.7	30
Myeloma	5.0	3.1	7.6	24
Leukemia	14.4	11.0	18.4	75
Lymphocytic Leukemia	8.1	5.7	11.2	42
Acute Lymphocytic Leukemia	1.4	0.7	2.7	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2005

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	6.1	3.9	8.9	29
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	5.7	3.7	8.4	30
Acute Myeloid Leukemia	3.7	2.1	6.0	18
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.5	0.6	3.1	8
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	0.7	0
Mesothelioma	2.0	0.8	3.9	8
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.4	9.0	16.5	53

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2006

	Rate	Lower CI	Upper CI	Count
All Sites	450.4	430.8	470.6	2,349
Oral Cavity and Pharynx	10.9	8.1	14.2	59
Lip	^	^	^	^
Tongue	2.1	1.0	3.8	12
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.5	0.7	2.9	10
Tonsil	2.6	1.4	4.4	16
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	0.7	0
Digestive System	91.6	82.7	101.3	453
Esophagus	7.0	4.7	9.9	36
Stomach	5.5	3.5	8.2	28
Small Intestine	2.0	1.0	3.5	13
Colon and Rectum	48.4	42.0	55.6	236
Colon excluding Rectum	37.7	31.9	44.1	174
Cecum	10.4	7.4	14.0	46
Appendix	^	^	^	^
Ascending Colon	7.1	4.6	10.4	28
Hepatic Flexure	1.6	0.7	3.2	9
Transverse Colon	2.0	0.9	3.9	10
Splenic Flexure	1.2	0.4	2.6	6
Descending Colon	2.5	1.2	4.5	12
Sigmoid Colon	9.6	6.9	12.9	48
Large Intestine, NOS	2.9	1.4	5.1	12
Rectum and Rectosigmoid Junction	10.8	8.1	14.1	62
Rectosigmoid Junction	2.6	1.3	4.6	14
Rectum	8.2	5.8	11.0	48
Anus, Anal Canal and Anorectum	2.9	1.6	4.8	17
Liver and Intrahepatic Bile Duct	6.8	4.7	9.6	40
Liver	6.3	4.3	9.0	36
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	2.0	0.8	4.1	7
Other Biliary	2.4	1.2	4.3	13
Pancreas	11.6	8.5	15.5	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2006

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	1.9	0.7	4.0	6
Respiratory System	77.3	69.0	86.3	360
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.9	2.3	6.1	20
Lung and Bronchus	71.7	63.7	80.4	333
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.0	0.4	2.1	7
Soft Tissue including Heart	3.2	1.9	5.0	21
Skin excluding Basal and Squamous	10.4	7.8	13.7	61
Melanoma of the Skin	9.6	7.1	12.7	58
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.5	29.9	41.7	172
Urinary Bladder	22.3	17.8	27.5	97
Kidney and Renal Pelvis	13.0	10.0	16.7	74
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.4	2.7	6.7	25
Brain	4.2	2.5	6.5	23
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.0	8.5	14.0	72
Thyroid	10.6	8.1	13.6	69
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.7	17.7	26.3	120
Hodgkin Lymphoma	2.4	1.3	4.0	16
Hodgkin - Nodal	2.4	1.3	4.0	16
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	19.3	15.5	23.8	104
NHL - Nodal	12.6	9.7	16.2	71
NHL - Extranodal	6.7	4.5	9.6	33
Myeloma	4.5	2.7	7.1	21
Leukemia	14.7	11.3	18.8	72
Lymphocytic Leukemia	7.3	5.0	10.3	37
Acute Lymphocytic Leukemia	1.8	0.9	3.3	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006

2006

	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	5.0	3.0	7.6	22
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.7	4.4	9.6	32
Acute Myeloid Leukemia	4.3	2.5	6.9	18
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.8	0.9	3.3	11
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	11.7	8.5	15.5	54

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.